PHYTOCHEMISTRY

CHEMISTRY BIOCHEMISTRY MOLECULAR BIOLOGY

Regional Editors

UK, Africa, The Commonwealth & Rest of the World
G. P. BOLWELL

The Americas & East Asia
N. G. LEWIS

Continental Europe & Russia
D. STRACK

Volume 53 Contents, Author Index and
Subject Index 2000

PERGAMON

RECEIVED JUL 1 0 2000

PHYTOCHEMISTRY

Chemistry Biochemistry Molecular Biology

Regional Editor for: U.K., Africa, The Commonwealth & Rest of the World

G. P. BOLWELL: School of Biological Sciences, Royal Holloway, University of London, Egham, Surrey TW20 0EX, U.K.

Regional Editor for: The Americas & East Asia

N. G. LEWIS: Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.

Regional Editor for: Continental Europe & Russia

D. STRACK: Institut für Pflanzenbiochemie, Abt. Sekundarstoffwechsel, Weinberg 3, D-06120 Halle (Saale), Germany.

Honorary Editor: J. B. HARBORNE F.R.S.

EDITORIAL BOARD—2000

Y. Asakawa:	Tokushima, Japan.	J. L. Harwood:	Cardiff, U.K.
W. Boland:	Jena, Germany.	W. Herz:	Tallahassee, U.S.A.
A.-M. Boudet:	Toulouse, France.	K. Hostettmann:	Dorigny-Lausanne, Switzerland.
G. Bringmann:	Würzburg, Germany.	T. M. Kutchan:	Halle, Germany.
G. Cordell:	Chicago, U.S.A.	T. J. Mabry:	Austin, U.S.A.
K. Cornish:	Albany, U.S.A.	U. Matern:	Marburg, Germany.
R. Croteau:	Pullman, U.S.A.	B. V. Milborrow:	Kensington, Australia.
H. V. Davies:	Dundee, U.K.	B. L. Møller:	Copenhagen, Denmark.
V. De Luca:	Montreal, Canada.	M. Rohmer:	Strasbourg, France.
R. A. Dixon:	Ardmore, U.S.A.	U. Sankawa:	Toyama, Japan.
R. Edwards:	Durham, U.K.	A. R. Slabas:	Durham, U.K.
W. H. Fenical:	La Jolla, U.S.A.	G. H. N. Towers:	Vancouver, Canada.
D. Ferreira:	University, U.S.A.	P. G. Waterman:	Lismore, Australia.
J. Gershenzon:	Jena, Germany.	V. Wray:	Braunschweig, Germany.
O. R. Gottlieb:	Rio de Janeiro, Brazil.	M. H. Zenk:	Halle, Germany.

All manuscripts and contributions should be submitted to either G. P. BOLWELL at Surrey, N. G. LEWIS at Pullman or D. STRACK at Halle. Authors are requested to consult the 'Instructions to Authors' and the 'Aims and Scope' of the journal (see inside back cover). The latest Instructions are published in Vol. 54, No. 1. Copies of these Instructions are also available from the internet http://www.elsevier.nl/locate/Phytochem under 'Guide for Authors', or from the Regional Editorial offices. Review articles are welcome, but intending Authors should send an outline to the Regional Editor before preparing their manuscripts. Books for review should be sent to G. P. BOLWELL.

This journal has been designated an official organ of the 'The Phytochemical Society of Europe' and 'The Phytochemical Society of North America' and Society announcements will appear at regular intervals. Reduced subscription rates are available to members of both Societies (details available from Society offices).

Publishing and Advertising Offices: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.

Annual Subscription Information: Published bi-monthly, two issues per month, January to December (three volumes 2000).

Annual Institutional Subscription Rates 2000: Europe, The CIS and Japan 6313.00 Dutch Guilders. All other countries US$3205.00. Associated Personal Subscription rates are available on request for those whose institutions are library subscribers. Dutch Guilder prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice.

Any enquiry relating to subscriptions should be sent to: **The Americas:** Elsevier Science, Customer Support Department, P.O. Box 945, New York, NY, 10010, U.S.A. [Tel: (+1) 212-633-3730/1-888 4ES-INFO. Fax: (+1) 212-633-3680. E-mail: usinfo-f@elsevier.com]. **Japan:** Elsevier Science K. K., Customer Support Department, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan [Tel: (+3) 5561-5033. Fax: (+3) 5561-5047. E-mail: info@elsevier.co.jp]. **Asia Pacific (*excluding Japan*)**: Elsevier Science (Singapore) Pte Ltd, No. 1 Temasek Avenue, 17-01 Millennia Tower, Singapore 039192. [Tel: (+65) 434-3727. Fax: (+65) 337-2230. E-mail: asiainfo@elsevier.com.sg]. **Rest of the World:** Elsevier Science, Customer Service Department, P.O. Box 211, 1001 AE Amsterdam, The Netherlands. [Tel: (+31) 20-485-3757. Fax: (+31) 20-485-3432. E-mail: nlinfo-f@elsevier.nl]. *Microform back issues*: back issues of all previously published volumes in both hard copy and on microform, are available direct from Elsevier Science Offices (Oxford, New York).

For queries relating to the general submission of articles (including electronic text and artwork) and the status of accepted manuscripts, please contact the Author Service Department at Elsevier Science Ltd. E-mail: authors@elsevier.co.uk; Fax: +44 (0) 1865 843905; Tel.: +44 (0) 1865 843900.

© 2000 Elsevier Science Ltd

Periodicals postage paid at Rahway, New Jersey. *Phytochemistry* (ISSN 0031-9422) is published bi-monthly, two issues per month, January to December in three volumes by Elsevier Science Ltd., The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK. The annual subscription in the USA is $3205.

Phytochemistry is circulated by Mercury International Limited, 365 Blair Road, Avenel, NJ 07001, USA.

POSTMASTER: Please send address corrections to: *Phytochemistry*, c/o Customer Services, Elsevier Science Inc., 655 Avenue of the Americas, New York, NY 10010, USA.

CONTENTS OF VOLUME 53

Number 1

Announcements vi

Graphical Abstracts ix

Protein Biochemistry

Characterization and oxidative in vitro cross-linking of an extensin-like protein and a proline-rich protein purified from chickpea cell walls 1 O. Otte and W. Barz

Metabolism

Secologanin synthase which catalyzes the oxidative cleavage of loganin into secologanin is a cytochrome P450 7 H. Yamamoto, N. Katano, A. Ooi and K. Inoue

Lipoxygenase pathway in olive callus cultures (*Olea europaea*) 13 M. Williams, J. J. Salas, J. Sanchez and J. L. Harwood

CO_2 as main carbon source for isoprenoid biosynthesis via the mevalonate-independent methylerythritol 4-phosphate route in the marine diatoms *Phaeodactylum tricornutum* and *Nitzschia ovalis* 21 J. H. Cvejić and M. Rohmer

Hexokinase activity alters sugar-nucleotide formation in maize root homogenates 29 A. Galina and W. S. da Silva

The diversity of chemical substances controlling the nyctinastic leaf-movement in plants 39 M. Ueda, H. Shigemori, N. Sata and S. Yamamura

Sunflower sesquiterpene lactone models induce *Orobanche cumana* seed germination 45 A. P. de Luque, J. C. G. Galindo, F. A. Macías and J. Jorrín

Ecological Biochemistry

Cenocladamide, a dihydropyridone alkaloid from *Piper cenocladum* 51 C. D. Dodson, L. A. Dyer, J. Searcy, Z. Wright and D. K. Letourneau

Antifungal nitro compounds from Skunk Cabbage (*Lysichitum americanum*) leaves treated with cupric chloride 55 F. Hanawa, S. Tahara and G. H. N. Towers

Biotransformation of the phytoalexin camalexin by the phytopathogen *Rhizoctonia solani* 59 M. S. C. Pedras and A. Q. Khan

Chemotaxonomy

Infraspecific variability in the essential oil composition of *Cistus monspeliensis* leaves 71 C. Robles and S. Garzino

Brominated anisoles and cresols in the red alga *Polysiphonia sphaerocarpa* 77 C. Flodin and F. B. Whitfield

Bioactive Plant Products

Carrageenans from chilean samples of *Stenogramme interrupta* (Phyllophoraceae): structural analysis and biological activity 81 P. J. Cáceres, M. J. Carlucci, E. B. Damonte, B. Matsuhiro and E. A. Zúñiga

Flavonol glycosides from *Costus spicatus* 87 B. P. da Silva, R. R. Bernardo and J. P. Parente

An acylated phloroglucinol with antimicrobial properties from *Helichrysum caespititium* 93 A. D. M. Mathekga, J. J. M. Meyer, M. M. Horn and S. E. Drewes

Plant Chemistry

Oxygenated monoterpenoids from badea (*Passiflora quadrangularis*) fruit pulp 97 C. Osorio, C. Duque and Y. Fujimoto

Polystachynes A–E, five *cis*-neo-clerodane diterpenoids from *Salvia polystachya* 103 E. Maldonado and A. Ortega

Xanthones and triterpenoids from the bark of *Garcinia vilersiana* 111 L. H. D. Nguyen and L. J. Harrison

Limonoid derivatives from *Astrotrichilia voamatata* 115 D. A. Mulholland, M. Randrianarivelojosia, C. Lavaud, J.-M. Nuzillard and S. L. Schwikkard

PII: S0031-9422(00)00142-4

Bonaspectins and neobonaspectins, first sesquilignans and sesquineolignans from a convolvulaceous species 119 B. Tofern, K. Jenett-Siems, K. Siems, J. Jakupovic and E. Eich

5-Lipoxygenase-derived oxylipins from the red alga *Rhodymenia pertusa* 129 Z. D. Jiang, S. O. Ketchum and W. H. Gerwick

Sequence specific analysis of the heterogeneous glycan chain from peanut peroxidase by ^{1}H-NMR spectroscopy 135 G. S. Shaw, Y. Sun, K. R. Barber and R. B. van Huystee

A methylenedioxyflavonol from aerial parts of *Blutaparon portulacoides* 145 E. O. Ferreira and D. A. Dias

Phenolic constituents from *Grevillea robusta* 149 A. S. Ahmed, N. Nakamura, M. R. Meselhy, M. A. Makhboul, N. El-Emary and M. Hattori

An isoflavone from *Myristica malabarica* 155 A. C. Talukdar, N. Jain, S. De and H. G. Krishnamurty

Book Review

Review for Phytochemistry of Handbook of Functional Plant Ecology, edited by F. I. Pugnaire and F. Valladares 159 I. T. Baldwin

Number 2

Graphical Abstracts vii

Reviews

Phytoalexins from crucifers: synthesis, biosynthesis, and biotransformation 161 M. S. C. Pedras, F. I. Okanga, I. L. Zaharia and A. Q. Khan

Protein Biochemistry

Purification, stabilization and characterization of tomato fatty acid hydroperoxide lyase 177 C. N. S. P. Suurmeijer, M. Pérez-Gilabert, D.-J. van Unen, H. T. W. M. van der Hijden, G. A. Veldink and J. F. G. Vliegenthart

Hydroquinone:*O*-glucosyltransferase from cultivated *Rauvolfia* cells: enrichment and partial amino acid sequences 187 J. Arend, H. Warzecha and J. Stöckigt

Characterization of isoforms of hexose kinases in rice embryo 195 L. Guglielminetti, P. Perata, A. Morita, E. Loreti, J. Yamaguchi and A. Alpi

Metabolism

Indoxyl-UDPG-glucosyltransferase from *Baphicacanthus cusia* 201 H. Marcinek, W. Weyler, B. Deus-Neumann and M. H. Zenk

Sulfation of naringenin by *Cunninghamella elegans* 209 A.-R. S. Ibrahim

Benzoxazinoids–cyclic hydroxamic acids, lactams and their corresponding glucosides in the genus *Aphelandra* (Acanthaceae) 213 A. Baumeler, M. Hesse and C. Werner

Variation of DIMBOA and related compounds content in relation to the age and plant organ in maize 223 V. Cambier, T. Hance and E. de Hoffmann

Ecological Biochemistry

Trans-4-aminoproline, a phytotoxic metabolite with herbicidal activity produced by *Ascochyta caulina* 231 A. Evidente, A. Andolfi, M. Vurro, M. C. Zonno and A. Motta

Phytochelatin homologs induced in hairy roots of horseradish 239 H. Kubota, K. Sato, T. Yamada and T. Maitani

Chemotaxonomy

Sesqui- and diterpenes from the liverwort *Gackstroemia decipiens* 247 W. Geis and H. Becker

Bioactive Plant Products

Antinociceptive substances from *Incarvillea delavayi* 253 M. Nakamura, K. Kido, J. Kinjo and T. Nohara

Study of sesquiterpene lactones from *Milleria quinqueflora* on their anti-inflammatory activity using the transcription factor NF-κB as molecular target 257 V. Castro, P. Rüngeler, R. Murillo, E. Hernandez, G. Mora, H. L. Pahl and I. Merfort

Plant Chemistry

Polar glycerolipids of *Chlamydomonas moewusii* 265 S. A. Arisz, J. A. J. van Himbergen, A. Musgrave, H. van den Ende and T. Munnik

Highly oxygenated sesquiterpenes from the liverwort *Trocholejeunea sandvicensis* 271 E. H. Lahlou, T. Hashimoto and Y. Asakawa

Alkaloids from *Ruta montana* 277 D. Touati, Atta-ur-Rahman and A. Ulubelen

Benzophenones of *Garcinia pseudoguttifera* (Clusiaceae) 281 S. Ali, R. Goundar, S. Sotheeswaran, C. Beaulieu and C. Spino

Tyrosinase catalysed biphenyl construction from flavan-3-ol substrates 285 W. J. van Rensburg, D. Ferreira, E. Malan and J. A. Steenkamp

Lipid composition of the extracellular matrix of *Botrytis cinerea* germlings 293 L. L. D. Cooper, J. E. Oliver, E. D. De Vilbiss and R. P. Doss

Two flavonoid glycosides from *Chenopodium murale* 299 A. A. Gohar, G. T. Maatooq and M. Niwa

Koelpinin-*A*, *B* and *C* — three triterpenoids from *Koelpinia linearis* 305 S. Koul, T. K. Razdan, C. S. Andotra, A. K. Kalla, S. Koul, S. C. Taneja and K. L. Dhar

Oxidation and epimerization of epigallocatechin in banana fruits 311 T. Tanaka, K. Kondou and I. Kouno

Erratum

Erratum to "Eudesmanolides and inositol derivatives from *Taraxacum linearisquameum*" [Phytochemistry 51 (1999) 991–994] 317 C. Zidorn, E. P. Ellmerer-Müller and H. Stuppner

Number 3

Graphical Abstracts vii

Protein Biochemistry

Purification and inactivation by substrate of an allene oxide synthase (CYP74) from corn (*Zea mays* L.) seeds 319 Y. Utsunomiya, T. Nakayama, H. Oohira, R. Hirota, T. Mori, F. Kawai and T. Ueda

Purification and properties of urease from the leaf of mulberry, *Morus alba* 325 C. Hirayama, M. Sugimura, H. Saito and M. Nakamura

Metabolism

Variability of phenylpropanoid precursors in the biosynthesis of phenylphenalenones in *Anigozanthos preissii* 331 B. Schmitt, D. Hölscher and B. Schneider

Droserone from cell cultures of *Triphyophyllum peltatum* (Dioncophyllaceae) and its biosynthetic origin 339 G. Bringmann, H. Rischer, M. Wohlfarth, J. Schlauer and L. A. Assi

Stimulation of the production of hypericins by mannan in *Hypericum perforatum* shoot cultures 345 A. Kirakosyan, H. Hayashi, K. Inoue, A. Charchoglyan and H. Vardapetyan

Anthracenone ABA analogue as a potential photoaffinity reagent for ABA-binding proteins 349 N. M. Irvine, P. A. Rose, A. J. Cutler, T. M. Squires and S. R. Abrams

Galloylglucoses and riccionidin A in *Rhus javanica* adventitious root cultures 357 S. Taniguchi, K. Yazaki, R. Yabu-uchi, K.-ya Kawakami, H. Ito, T. Hatano and T. Yoshida

Altered lignin composition in phenylalanine ammonia-lyase-inhibited radish seedlings: implications for seed-derived sinapoyl esters as lignin precursors 365 M. Chen and J. W. McClure

Ecological Biochemistry

Two insecticidal tetranortriterpenoids from *Azadirachta indica* 371 B. S. Siddiqui, F. Afshan, Ghiasuddin, S. Faizi, S. N. H. Naqvi and R. M. Tariq

Uptake of radiolabelled ochratoxin A from soil by coffee plants 377 P. G. Mantle

Bioactive Plant Products

Polyhydroxylated pyrrolidine and piperidine alkaloids from *Adenophora triphylla* var. *japonica* (Campanulaceae) 379 N. Asano, M. Nishida, M. Miyauchi, K. Ikeda, M. Yamamoto, H. Kizu, Y. Kameda, A. A. Watson, R. J. Nash and G. W. J. Fleet

Screening of the needles of different yew species and cultivars for paclitaxel and related taxoids 383 E. L. M. van Rozendaal, G. P. Lelyveld and T. A. van Beek

Importance of a pyrogallol-type structure in catechin compounds for apoptosis-inducing activity 391 K. Saeki, S. Hayakawa, M. Isemura and T. Miyase

Plant Chemistry

The biotransformation of 18-hydroxy-9-*epi*-*ent*-pimara-7,15-diene by *Gibberella fujikuroi* 395 B. M. Fraga, M. G. Hernández, P. González, M. C. Chamy and J. A. Garbarino

Chalcanol glucosides from seeds of *Trifolium alexandrinum* 401 K. M. Mohamed, H. A. Hassanean, K. Ohtani, R. Kasai and K. Yamasaki

Phenolic compounds from the leaves of *Cornus controversa* 405 D. Lee, S.-J. Kang, S.-H. Lee, J. Ro, K. Lee and A. D. Kinghorn

Tropane alkaloids from *Erythroxylum zeylanicum* O.E. Schulz (Erythroxylaceae) 409 G. Bringmann, C. Günther, J. Mühlbacher, M. D. L. P. Gunathilake and A. Wickramasinghe

Steroidal alkaloids from *Cryptolepis obtusa* 417 A. Paulo, M. L. Jimeno, E. T. Gomes and P. J. Houghton

Book Reviews

Introduction to flavonoids — Chemistry & Biochemistry of Organic Natural Products, Vol. 2, by B. A. Bohm 423 G. Forkmann

Plant Carbohydrate Biochemistry, edited by J. A. Bryant, M. M. Burell and N. J. Kruger 424 D. Heineke

Indole Alkaloids, by Atta-ur-Rahman and A. Basha 424 J. B. Harborne

New Trends in Natural Product Chemistry, edited by Atta-ur-Rahman and M. I. Choudhary 424 J. B. Harborne

Number 4

Graphical Abstracts vii

Protein Biochemistry

Xanthone 6-hydroxylase from cell cultures of *Centaurium erythraea* RAFN and *Hypericum androsaemum* L. 427 W. Schmidt, S. Peters and L. Beerhues

Metabolism

L-Ascorbic acid and L-galactose are sources for oxalic acid and calcium oxalate in *Pistia stratiotes* 433 S. E. Keates, N. M. Tarlyn, F. A. Loewus and V. R. Franceschi

Vacuolar transport of the glutathione conjugate of *trans*-cinnamic acid 441 H. A. Walczak and J. V. Dean

Ecological Biochemistry

Biotransformation of the *Trichoderma* metabolite 6-*n*-pentyl-2*H*-pyran-2-one by cell suspension cultures of *Pinus radiata* 447 J. M. Cooney, G. S. Hotter and D. R. Lauren

Chemotaxonomy

Occurrence and characterization of oils rich in γ-linolenic acid Part I: *Echium* seeds from Macaronesia 451 J. L. Guil-Guerrero, F. Gómez-Mercado, F. Garcia-Maroto and P. Campra-Madrid

Bioactive Plant Products

Anti-HIV-1 phorbol esters from the seeds of *Croton tiglium* 457 S. El-Mekkawy, M. R. Meselhy, N. Nakamura, M. Hattori, T. Kawahata and T. Otake

Plant Chemistry

Delevoyin C, a tetranortriterpenoid from *Entandrophragma delevoyi* 465 D. A. Mulholland, S. L. Schwikkard, P. Sandor and J. M. Nuzillard

Flavonoid glycosides and saponins from *Astragalus shikokianus* 469 S. Yahara, M. Kohjyouma and H. Kohoda

Sesquiterpene lactone glucosides from *Sonchus asper* 473 A. M. Helal, N. Nakamura, H. El-Askary and M. Hattori

Eudesmane derivatives from *Tessaria integrifolia* 479 M. Ono, C. Masuoka, Y. Odake, Y. Ito and T. Nohara

Steroidal glycosides from the aerial part of *Asclepias incarnata* 485 T. Warashina and T. Noro

Iridoid glycosides from *Lonicera quinquelocularis* 499 S. Kumar, O. P. Sati, V. D. Semwal, M. Nautiyal, S. Sati and Y. Takeda

Four alkaloids, lucidine B, oxolucidine A, lucidine A, and lucidulinone from *Lycopodium lucidulum* 503 M. Tori, T. Shimoji, E. Shimura, S. Takaoka, K. Nakashima, M. Sono and W. A. Ayer

A chalcone and a dihydrochalcone from *Uvaria dulcis* 511 K. Chantrapromma, Y. Rat-A-pa, C. Karalai, V. Lojanapiwatana and V. Seechamnanturakit

A biflavanone from *Cycas beddomei* 515 B. Jayaprakasam, A. G. Damu, D. Gunasekar, A. Blond and B. Bodo

Gibberellins in seedlings and flowering trees of *Prunus avium* L. 519 P. S. Blake, G. Browning, L. J. Benjamin and L. N. Mander

Number 5

Graphical Abstracts vii

Obituary

William David Ollis 529

Protein Biochemistry

Purification and characterization of UDP-glucuronate: baicalein 7-*O*-glucuronosyltransferase from *Scutellaria baicalensis* Georgi. cell suspension cultures 533 S. Nagashima, M. Hirotani and T. Yoshikawa

Metabolism

Ontogenic changes in enzymes of carbon metabolism in relation to carbohydrate status in developing mungbean reproductive structures 539 J. Chopra, N. Kaur and A. K. Gupta

Biosynthesis of brassinosteroids in cultured cells of *Catharanthus roseus* 549 S. Fujioka, T. Noguchi, T. Watanabe, S. Takatsuto and S. Yoshida

Distribution of morphinan and benzo[*c*]phenanthridine alkaloid gene transcript accumulation in *Papaver somniferum* 555 F.-C. Huang and T. M. Kutchan

Scission of polysaccharides by peroxidase-generated hydroxyl radicals 565 C. Schweikert, A. Liszkay and P. Schopfer

Ecological Biochemistry

Acetylenic aromatic compounds from *Stereum hirsutum* 571 G.-M. Dubin, A. Fkyerat and R. Tabacchi

Covalently linked anthocyanin–flavonol pigments from blue *Agapanthus* flowers 575 S. J. Bloor and R. Falshaw

Chemotaxonomy

An amendment of *Aspergillus* section *Candidi* based on chemotaxonomical evidence 581 L. Rahbæk, J. C. Frisvad and C. Christophersen

Bioactive Plant Products

Bioactive alkaloids from *Brunsvigia radulosa* 587 W. E. Campbell, J. J. Nair, D. W. Gammon, C. Codina, J. Bastida, F. Viladomat, P. J. Smith and C. F. Albrecht

Plant Chemistry

Pinguisane and dimeric pinguisane-type sesquiterpenoids from the Japanese liverwort *Porella acutifolia* subsp. *tosana* 593 T. Hashimoto, H. Irita, M. Tanaka, S. Takaoka and Y. Asakawa

An isoflavone from *Pterocarpus santalinus* 605 K. S. Krishnaveni and J. V. S. Rao

Configurations of polyunsaturated sesterterpenoids from the diatom, *Haslea ostrearia* 607 L. Johns, S. Belt, C. A. Lewis, S. Rowland, G. Masse, J.-M. Robert and W. A. Konig

Antifungal and larvicidal cordiaquinones from the roots of *Cordia curassavica* 613 J.-R. Ioset, A. Marston, M. P. Gupta and K. Hostettmann

Book Reviews

Plant Resources of South-East Asia No. 12 (1). Medicinal and Poisonous Plants 1, edited by L. S. de Padua, N. Bunyapraphatsara and R. H. M. J. Lemmens 619 M. Heinrich

Biotechnology, edited by H.-J. Rehm and G. Reed in cooperation with A. Pühler and P. Stadler 620 H.-J. Hecht and D. Strack

Erratum

Erratum to "2,3-Dihydrobenzofuran neolignans from *Aristolochia pubescens*" [*Phytochemistry* 52 (1999) 345–350] 621 I. R. Nascimento and L. M. X. Lopes

Number 6

Graphical Abstracts vii

Reviews

Chemotaxonomy and geographical distribution of tropane alkaloids 623 W. J. Griffin and G. D. Lin

Protein Biochemistry

Cucumisin-like protease from the latex of *Euphorbia supina* 639 K. Arima, T. Uchikoba, H. Yonezawa, M. Shimada and M. Kaneda

Metabolism

Biosynthesis of the gymnomitrane-type sesquiterpenes in liverworts 645 U. Warmers and W. A. König

Caffeic acid oligomers in *Lithospermum erythrorhizon* cell suspension cultures 651 H. Yamamoto, K. Inoue and K. Yazaki

Sugar sensing and Ca^{2+}–calmodulin requirement in *Vitis vinifera* cells producing anthocyanins 659 X. Vitrac, F. Larronde, S. Krisa, A. Decendit, G. Deffieux and J.-M. Mérillon

Ecological Biochemistry

The African yam bean seed lectin affects the development of the cowpea weevil but does not affect the development of larvae of the legume pod borer 667 J. S. Machuka, O. G. Okeola, M. J. Chrispeels and L. E. N. Jackai

Microbial transformation of papaveraldine 675 K. A. El Sayed

Bioactive Plant Products

DNA triplex stabilization property of natural anthocyanins 679 T. Mas, J. Susperregui, B. Berké, C. Chèze, S. Moreau, A. Nuhrich and J. Vercauteren

Plant Chemistry

Coumarins and bicoumarin from *Ferula sumbul*: anti-HIV activity and inhibition of cytokine release 689 P. Zhou, Y. Takaishi, H. Duan, B. Chen, G. Honda, M. Itoh, Y. Takeda, O. K. Kodzhimatov and K.-H. Lee

Unusual phenolic glycosides from *Cotoneaster orbicularis* 699 A. M. D. El-Mousallamy, S. A. M. Hussein, I. Merfort and M. A. M. Nawwar

Phloroglucinol derivatives from *Hypericum japonicum* 705 L.-H. Hu, C.-W. Khoo, J. J. Vittal and K.-Y. Sim

Bacopasaponins E and F: two jujubogenin bisdesmosides from *Bacopa monniera* 711 S. B. Mahato, S. Garai and A. K. Chakravarty

Terpenoids from *Tripterigyum hypoglaucum* 715 R. Fujita, H. Duan and Y. Takaishi

Number 7

Announcement vi

Graphical Abstracts ix

Molecular Genetics and Genomics

Biosynthesis of riboflavin in plants. The *ribA* gene of *Arabidopsis thaliana* specifies a bifunctional GTP cyclohydrolase II/3,4-dihydroxy-2-butanone 4-phosphate synthase 723 S. Herz, S. Eberhardt and A. Bacher

Metabolism

Biosynthesis of 20-hydroxyecdysone in *Ajuga* hairy roots: the possibility of 7-ene introduction at a late stage 733 R. Hyodo and Y. Fujimoto

Photo-induced synthesis of tomatidenol-based glycoalkaloids in *Solanum phureja* tubers 739 D. W. Griffiths, H. Bain, N. Deighton, G. W. Robertson and M. F. B. Dale

Ecological Biochemistry

Fungicidal activity of natural and synthetic sesquiterpene lactone analogs 747 D. E. Wedge, J. C. G. Galindo and F. A. Macías

Chemotaxonomy

Prenylflavonoid variation in *Humulus lupulus*: distribution and taxonomic significance of xanthogalenol and 4′-*O*-methylxanthohumol 759 J. F. Stevens, A. W. Taylor, G. B. Nickerson, M. Ivancic, J. Henning, A. Haunold and M. L. Deinzer

Bioactive Plant Products

Biosynthetic studies on the tropane ring system of the tropane alkaloids from *Datura stramonium* 777 R. Duran-Patron, D. O'Hagan, J. T. G. Hamilton and C. W. Wong

Plant Chemistry

Structure and synthesis of ether-linked proteracacinidin and promelacacinidin proanthocyanidins from *Acacia caffra* 785 L. Bennie, E. Malan, J. Coetzee and D. Ferreira

Structure and synthesis of the first procassinidin dimers based on epicatechin, and gallo- and epigallo-catechin 795 J. Coetzee, L. Mciteka, E. Malan and D. Ferreira

Triterpenoids from *Tripterygium wilfordii* 805 H. Duan, Y. Takaishi, H. Momota, Y. Ohmoto, T. Taki, Y. Jia and D. Li

6-[ω-arylalkenyl]-5,6-dihydro-α-pyrones from *Cryptocarya moschata* (Lauraceae) 811 A. J. Cavalheiro and M. Yoshida

Book Reviews

Plant Secondary Metabolism, by D. S. Seigler 821 J. B. Harborne

Regulation of Primary Metabolic Pathways in Plants, edited by N. T. Kruger, S. A. Hill and R. G. Ratcliffe 821 J. B. Harborne

Heavy Metal Stress in Plants: From Molecules to Ecosystems, by M. N. V. Prasad and F. Hagemeyer 822 D. Neumann

Announcement 823

Corrigenda and Errata

Corrigendum to "Highly oxygenated bisabolenes and an acetylene from *Matricaria aurea*" [Phytochemistry 51 (1999) 551–554] 825 A. A. Ahmed and M. A. Abou Elela

Erratum to "Epoxyconiferyl alcohol from *Fraxinus oxycarpa* bark" [Phytochemistry 38 (1995) 801–802] 827 I. Kostova, D. Dinchev, B. Mikhova and T. Iossifova

Number 8

Graphical Abstracts ix

Announcement xxiii

Bioactive Plant Products

Peniamidienone and penidilamine, plant growth regulators produced by the fungus *Penicillium* sp. No. 13 829 Y. Kimura, T. Mizuno, T. Kawano, K. Okada and A. Shimada

Anti-platelet aggregation constituents from *Gynura elliptica* 833 W.-Y. Lin, C.-M. Teng, I.-L. Tsai and I.-S. Chen

Terpenoids

Iridoids from *Dunnia sinensis* 837 X. Wei, H. Xie, X. Ge and F. Zhang

Cassane diterpenoid from *Caesalpinia major* 841 S. Roengsumran, S. Limsuwankesorn, N. Ngamrojnavanich, A. Petsom, C. Chaichantipyuth and T. Ishikawa

Sesquiterpenoids and diterpenoids from the Chilean liverwort *Lepicolea ochroleuca* 845 H.-J. Liu, C.-L. Wu, H. Becker and J. Zapp

Synthesis of methyl dihydrohardwickiate and its C-4 epimer. Structural amendment of natural crolechinic acid 851 M. Costa, E. C. Perles, F. Y. Fujiwara and P. M. Imamura

ent-Kaurene diterpenoids from *Isodon rubescens* 855 B. L. Li, S. N. Chen, Z. X. Shi and Y. Z. Chen

Triterpenoid saponins containing an acetylated branched D-fucosyl residue from *Quillaja saponaria* Molina 861 S. Guo, E. Falk, L. Kenne, B. Rönnberg and B. G. Sundquist

Cyclopentene dialdehydes from *Tabebuia impetiginosa* 869 J. Koyama, I. Morita, K. Tagahara and K.-I. Hirai

A glycosidic eudesmanolide from *Hyaloseris salicifolia* 873 E. C. DE RISCALA, S. TURBAY, C. A. N. CATALAN, L. R. HERNÁNDEZ and P. JOSEPH-NATHAN

A cytotoxic diterpene from *Alomia myriadenia* 877 C. L. ZANI, T. M. A. ALVES, R. QUEIRÓZ, E. S. FONTES, Y. G. SHIN and G. A. CORDELL

Sesterterpenoid from *Gentianella alborosea* 881 N. KAWAHARA, M. NOZAWA, D. FLORES, P. BONILLA, S. SEKITA and M. SATAKE

Triterpenoid saponins and sapogenin lactones from *Albizia gummifera* 885 A. DEBELLA, E. HASLINGER, M. G. SCHMID, F. BUCAR, G. MICHL, D. ABEBE and O. KUNERT

Oleanane saponins from *Gymnema sylvestre* 893 W.-C. YE, Q.-W. ZHANG, X. LIU, C.-T. CHE and S.-X. ZHAO

Triterpenoid glycosides and a triterpene from *Ilex brevicuspis* 901 A. T. C. TAKETA, T. SCHMITTMANN-SCHLAGER, D. GUILLAUME, G. GOSMANN and E. P. SCHENKEL

Triterpene saponins from the fruits of *Hedera helix* 905 E. BEDIR, H. KIRMIZIPEKMEZ, O. STICHER and İ. ÇALIŞ

Icetexane and abietane diterpenoids from *Salvia gilliessi* 911 M. NIETO, E. E. GARCÍA, O. S. GIORDANO and C. E. TONN

A cleistanthane diterpene lactone from *Vellozia compacta* 917 C. A. S. RIEHL and A. C. PINTO

Highly oxygenated ecdysteroids from *Vitex canescens* root bark 921 A. SUKSAMRARN, N. PROMRANGSAN and A. JINTASIRIKUL

Iridals from *Iris tectorum* and *Belamcanda chinensis* 925 K. TAKAHASHI, Y. HOSHINO, S. SUZUKI, Y. HANO and T. NOMURA

Phlorigidosides A–C, iridoid glucosides from *Phlomis rigida* 931 Y. TAKEDA, H. MATSUMURA, T. MASUDA, G. HONDA, H. OTSUKA, Y. TAKAISHI, E. SEZIK and E. YESILADA

Monoterpene and pregnane glucosides from *Solenostemma argel* 937 M. S. KAMEL, K. OHTANI, H. A. HASANAIN, M. H. MOHAMED, R. KASAI and K. YAMASAKI

Triterpenoid saponins from the roots of tea plant (*Camellia sinensis* var. *assamica*) 941 Y. LU, T. UMEDA, A. YAGI, K. SAKATA, T. CHAUDHURI, D. K. GANGULY and S. SARMA

Constituents and bioactivity of the tubers of *Euphorbia sessiliflora* 947 S. SUTTHIVAIYAKIT, M. THAPSUT and V. PRACHAYASITTIKUL

Diterpenoids from *Salvia miltiorrhiza* 951 H.-C. LIN and W.-L. CHANG

Diterpenoids from *Humirianthera ampla* 955 I. B. GRAEBNER, M. A. MOSTARDEIRO, E. M. ETHUR, R. A. BURROW, E. C. S. DESSOY and A. F. MOREL

Mulinane-type diterpenoids from *Laretia acaulis* 961 L. A. LOYOLA, J. BORQUEZ, G. MORALES and A. SAN-MARTÍN

Phenolics

6-Hydroxyluteolin-7-*O*-(1″-α-rhamnoside) from *Vriesea sanguinolenta* Cogn. and Marchal (Bromeliaceae) 965 G. BRINGMANN, M. OCHSE, G. ZOTZ, K. PETERS, E.-M. PETERS, R. BRUN and J. SCHLAUER

Minor diarylheptanoid glycosides of *Alnus rubra* bark 971 J. CHEN, R. F. GONZALEZ-LAREDO and J. J. KARCHESY

Two chromene derivatives from *Calyptranthes tricona* 975 C. MENUT, J. M. BESSIERE, H. NTALANI, P. VERIN, A. T. HENRIQUES and R. LIMBERGER

Indicanines B and C, two isoflavonoid derivatives from the root bark of *Erythrina indica* 981 A. K. WAFFO, G. A. AZEBAZE, A. E. NKENGFACK, Z. T. FOMUM, M. MEYER, B. BODO and F. R. VAN HEERDEN

Phenanthrenes from *Dendrobium plicatile* 987 C. HONDA and M. YAMAKI

Chalconoids from *Fissistigma bracteolatum* 991 T. P. LIEN, A. PORZEL, J. SCHMIDT, T. VAN SUNG and G. ADAM

Flavonoids from *Goodyera schlechtendaliana* 997 X.-M. DU, N.-Y. SUN and Y. SHOYAMA

Two glycosides from the stem bark of *Tetracentron sinense* 1001 J.-H. YI, G.-L. ZHANG, B.-G. LI and Y.-Z. CHEN

A bichalcone from the twigs of *Rhus pyroides* 1005 I. B. MASESANE, S. O. YEBOAH, J. LIEBSCHER, C. MÜGGE and B. M. ABEGAZ

Stilbene oligomers in roots of *Sophora davidii* 1009 T. Tanaka, T. Ito, M. Iinuma, M. Ohyama, M. Ichise and Y. Tateishi

Stilbenoids in the stem bark of *Hopea parviflora* 1015 T. Tanaka, T. Ito, Y. Ido, T.-K. Son, K. Nakaya, M. Iinuma, M. Ohyama and V. Chelladurai

Xanthones from *Calophyllum teysmannii* var. *inophylloide* 1021 A. Kijjoa, M. J. Gonzalez, C. M. Afonso, M. M. M. Pinto, C. Anantachoke and W. Herz

Coumarins from *Ferulago capillaris* and *F. brachyloba* 1025 B. Jiménez, M. C. Grande, J. Anaya, P. Torres and M. Grande

7-Caffeoylsedoheptulose from *Nyssa sylvatica* 1033 X.-C. Li, H. N. ElSohly and A. M. Clark

Structure elucidation of clavilactone D: an inhibitor of protein tyrosine kinases 1039 L. Merlini, G. Nasini, L. Scaglioni, G. Cassinelli and C. Lanzi

Xanthone and dihydroisocoumarin from *Montrouziera sphaeroidea* 1043 C. Ito, Y. Mishina, M. Litaudon, J.-P. Cosson and H. Furukawa

Flavonoids from *Brosimum acutifolium* 1047 S. L. Torres, M. S. P. Arruda, A. C. Arruda, A. H. Müller and S. C. Silva

Phenylpropanoid glycosides from *Smilax glabra* 1051 T. Chen, J.-X. Li and Q. Xu

Alkaloids

Quaternary indole alkaloids from the stem bark of *Strychnos guianensis* 1057 J. Penelle, M. Tits, P. Christen, J. Molgo, V. Brandt, M. Frédérich and L. Angenot

Aporphinoid alkaloids and other constituents from *Lettowianthus stellatus* 1067 M. H. H. Nkunya, S. A. Jonker, J. J. Makangara, R. Waibel and H. Achenbach

Alkaloids and phenylpropanoids from *Peganum nigellastrum* 1075 Z.-Z. Ma, Y. Hano, T. Nomura and Y.-J. Chen

An azaanthracene alkaloid from *Polyalthia suberosa* 1079 P. Tuchinda, M. Pohmakotr, B. Munyoo, V. Reutrakul and T. Santisuk

General Plant Chemistry

Volatile constituents in juice and oil of Australian wild lime (*Microcitrus inodora*) 1083 P. E. Shaw, M. G. Moshonas and K. D. Bowman

Structure and absolute configuration of new acetylenic compounds isolated from cultures of *Clitocybe catinus* 1087 A. Arnone, G. Nasini and O. V. de Pava

Three putrescine bisamides from the leaves of *Aglaia grandis* 1091 A. Inada, K. Shono, H. Murata, Y. Inatomi, D. Darnaedi and T. Nakanishi

Procyanidins from the seeds of *Vitis amurensis* 1097 J.-N. Wang, Y. Hano, T. Nomura and Y.-J. Chen

Nor-lignan and sesquiterpenes from *Cremanthodium ellisii* 1103 B.-N. Su, Q.-X. Zhu and Z.-J. Jia